

# WORLD'S LEADING SUPPLIER

of Fastener Inspection Equipment



**CALIBRATION PRICE LIST**

## ONLINE GAGE MANAGEMENT SYSTEM

We offer Gage Insite indexing of your entire inventory and automated gage due data reminders with our online Gage Management System.

Please feel free to contact us at [sales@greensladeandcompany.com](mailto:sales@greensladeandcompany.com) to get your online user name and password today.

Paperless Certification

Printable

24/7 Availability

Search by Date, Manufacturer, ID#, Model# and Serial#

We Monitor and Maintain all of Your Certifications

***Please include the following with your calibration order:***

- PO Number**
- Calibration Cycle**
- Gage Identification List**
- Contact Information**
- Return Shipping Instructions**
- Special Packaging or Marking Instructions**

- All calibration orders are N.I.S.T. traceable
- All calibration prices listed include A2LA, ISO-17025 Accredited Calibration Certificates unless otherwise noted
- Average turn around on most calibration orders is 4-5 business days, pending order size and quantity
- All gages require a minimum of 24 hours in our controlled environment for proper temperature normalization
- Any items that require sub-contracted calibration will be held until quote approval confirmation from the customer
- All sub-contracted vendors are approved to ISO-17025
- GREENSLADE EXPEDITE LAB SERVICE is available as follows:
  - 1 DAY LAB SERVICE** – \$50 or 50% of calibration charge of items being expedited, which ever is greater
  - 2 DAY LAB SERVICE** – \$35 or 35% of calibration charge of items being expedited, which ever is greater
  - 3 DAY LAB SERVICE** – \$25 or 25% of calibration charge of items being expedited, which ever is greater

*Prices subject to change without notice*



## FIXED LIMIT THREAD GAGES

### GO/NOGO SET PLUG (Per Member)

Standard (Major Dia. & Pitch)	
0-4" .....	\$18.00
4" + .....	\$22.50
Expanded Long Form (Major Dia., Pitch, Angle, Lead & Root) .....	\$30.00

### GO/NOGO WORK PLUG (Per Member)

Standard (Major Dia. & Pitch)	
0-4" .....	\$16.00
4"+ .....	\$21.00

### GO/NOGO HI-LO SET PLUG (Per Member)

Standard (Major Dia., & Pitch) .....	\$30.00
Expanded Long Form (Major Dia., Pitch, Angle, Lead & Root) .....	\$45.00

### ACME/BUTTRESS PLUGS (Per Member)

Standard (Major Dia. & Pitch)	
0-4" .....	\$16.50
4"+ .....	\$26.00

### TAPERED PIPE PLUGS & RINGS (Per Member)

Pipe Plug (Standard Stand-Off Measurement) .....	\$25.00
6 Step Pipe Plug (Standard Stand-Off Measurement) .....	\$30.00
Pipe Ring (Standard Stand-Off Measurement) .....	\$25.00
6 Step Pipe Ring (Standard Stand-Off Measurement) .....	\$30.00

### STRAIGHT PIPE PLUGS AND RINGS (Per Member)

Pipe Plug	
0-4" .....	\$16.00
4" + .....	\$21.00
Pipe Ring (Set Plug Required) .....	\$50.00

### GO/NOGO ADJUSTABLE RING GAGE (Per Member)

Inch (0-2", UNC & UNF, Class 2A/3A) .....	\$20.00
Metric (M1.6-M24 Class 6g & 6h) .....	\$20.00
Sizes Not Listed Above (Call For Quotes)	

### GO/NOGO SOLID THREAD RING GAGE (Per Member)

Standard (Pitch Dia.) .....	\$45.00
Expanded Long Form (Minor Dia., Pitch Dia., Half Angle & Lead) ....	\$75.00

### BI-POINT® @ & VARIABLE INTERNAL THREAD GAGES

Frame with Indicator .....	\$70.00
Segment Pairs .....	\$65.00

## INDICATING THREAD GAGES

### TRI-ROLL®, X120®, X180® & VARIABLE EXTERNAL THREAD GAGES

Frame .....	\$50.00
Frame with Indicator .....	\$70.00
Roll Sets .....	\$60.00
Segment Pairs .....	\$60.00

### CALIPERS

0-12" .....	\$20.00
13-24" .....	\$30.00
25-60" .....	\$60.00

### MICROMETERS

ID/OD Micrometer .....	\$20.00
ID Micrometer Extensions (Per Rod) .....	\$7.00
Micrometer Standards 0-11" .....	\$12.00
Micrometer Standards 12-24" .....	\$24.00
Micrometer Standards 24"+ .....	\$55.00
Depth Micrometer 0-6" .....	\$38.00
Depth Micrometer Over 6" .....	\$55.00
Pitch Micrometer .....	\$25.00
Pitch Micrometer Standards .....	\$20.00
Additional Anvil Sets (Each) .....	\$20.00

### INDICATORS (Dial and Digital)

Indicator (0-2" Travel, .001-.000050 Res.) .....	\$20.00
Indicator-10 Millionths .....	\$60.00

### CHAMFERCHEK GAGE

Models (0°-90°) .....	\$33.00
-----------------------	---------

### BORE GAGES

Bore Gage (Tri-Point or Ball Type) .....	\$55.00
Bore Gage Head .....	\$33.00
(Master Rings Must Be Provided For Necessary Range)	

### HEIGHT GAGE

Up to 12" .....	\$40.00
13"-18" .....	\$60.00
19"-24" .....	\$80.00
25" and Above .....	\$120.00
Micro Height Gage .....	\$75.00
Micro Height Setting Block .....	\$45.00

# GENERAL MEASURING INSTRUMENTS

## MISC. EQUIPMENT

Cambercheck™ Straightness Gage.....	\$75.00
Concentricity Gage.....	\$75.00
St. Marys Rotary V Gage.....	\$75.00
Protrusion-Height Gage (Plate and Indicator).....	\$95.00
Protrusion-Height Gage (Plate Only).....	\$75.00
Dimension-All®.....	\$95.00
Tri-Round Gage.....	\$75.00
True Position Gage.....	\$50.00
Wrench Height Gage.....	\$45.00
Nas Flat Head Flushness Gage Insert.....	\$55.00
Go/Nogo Driver Bit Gage.....	\$45.00

## GAGE BLOCK

Up to 4.0" All Grades (Per Block).....	\$3.25
Over 4.0" (Per Inch).....	\$3.00
1-2-3 Block.....	\$27.50
Angle Block.....	\$27.50

(Individual Serial Numbers Listed on Certification at No Charge)

\*\$125/Set for cleaning

## CYLINDRICAL & DELTRONIC PINS

Gage Pins, Class Z, Class ZZ (Per pin).....	\$1.50
Gage Pins, Class X, Class XX (Per pin).....	\$7.00

\*\$125/Set for cleaning

## PLAIN CYLINDRICAL RINGS

.050 - .500" (1.27-12.7mm).....	\$25.00
.501 - 10.0" (12.7-254.00mm).....	\$18.00

## INCH SLOT WIDTH GAGE SET

Size #2-3/8 (11 Blades).....	\$66.00
------------------------------	---------

## METRIC SLOT WIDTH GAGE SET

Size M2 - M10 (8 Blades).....	\$48.00
-------------------------------	---------

## RECESS & PENETRATION GAGES

Element & Indicator.....	\$65.00
Penetration Elements (Phillips, Pozi, Torq™, 6-Lobe).....	\$45.00
Penetration Elements (Hex, Square).....	\$18.00
Wobble Gage Fixture.....	\$50.00
Recess Wobble Plugs (All Types Per Member).....	\$45.00
Recess Checker® Base with Indicator.....	\$35.00
Recess TIR Gage with Indicator.....	\$75.00

## TORQUE WRENCHES

10 in. oz.-6 in. lbs. ....	\$50.00
7 in. lbs.-250 ft. lbs. ....	\$40.00
251-600 ft. lbs. ....	\$65.00

## LENGTHCHEK™ GAGES

2".....	\$25.00
6".....	\$50.00
12".....	\$50.00

<b>THICKNESS FEELER GAGE</b> (Per Leaf).....	\$5.00
--	--------

<b>THREAD MEASURING WIRES</b> (Per Set).....	\$18.00
--	---------

<b>PRECISION GAGE BALLS</b> (Per Ball).....	\$5.00
---	--------

<b>DUCTILITY BLOCK</b> .....	\$35.00
------------------------------	---------

<b>KAL-MASTER</b> (Per Step).....	\$11.00
-----------------------------------	---------

<b>PRESSURE GAGES</b> .....	\$45.00
-----------------------------	---------

<b>VACUUM GAGES</b> .....	\$45.00
---------------------------	---------

<b>NEW WEIGHT SCALES</b> (Up to 10,000 lbs.).....	\$65.00
---	---------

# ON-SITE CALIBRATION

0 - 12" Caliper.....	\$40	Dial or Digital Indicators.....	\$40
13" - 24" Caliper.....	\$60	OD/ID Micrometer.....	\$40
25" - 60" Caliper.....	\$90	Optical Comparator.....	\$200
Rockwell Hardness (A,B,C,E & 15N).....	\$100 per	Pressure/Vacuum Gages.....	\$65
0 - 12" Height Gage.....	\$80	Weighing/Counting Scales.....	\$65
13 - 18" Height Gage.....	\$90	Floor Scale.....	\$150
19" - 24" Height Gage.....	\$120		
25" plus Height Gage.....	\$150		

Prices are based on a minimum order of \$200.



All calibration events are issued a unique certificate number

Date of Issue: TODAY

# Calibration Certificate

Certificate #: XXXXX



## GREENSLADE & COMPANY, INC.

2234 Wenneca Avenue  
Fort Worth, TX 76102

Phone: 817-870-8888 Fax: 817-870-9199  
www.greensladeandcompany.com Email: sales@greensladeandcompany.com



### Customer:

YOUR COMPANY NAME  
YOUR ADDRESS  
YOUR COUNTRY

### Gage Information

I.D.: YOUR GAGE ID HERE  
Description: YOUR GAGE DESCRIPTION  
Manufacturer:  
Condition: RECERT  
G & Co Serial Nr.: SPXXXXXXX  
Cal Date: YOUR CALIBRATION DATE  
Cal. Interval: YOUR CUSTOM CYCLE  
Cal. Due Date: YOUR DUE DATE  
Calibration Result: **PASS**

All gages are given a unique internal identification number

All certifications contain test point descriptions and associated limits

All certifications will show a calibration result

### Test Points:

Seq.	Description	Standard	Tolerance -	Tolerance +	As Found	As Left
1	GO PITCH DIA FRONT	0.21640	0.21610	0.21640		
2	GO PITCH DIA CENTER	0.21640	0.21610	0.21640		
3	GO PITCH DIA BACK	0.21640	0.21610	0.21640		
4	GO FULL FORM	0.24890	0.24890	0.24940		
5	GO TRUNCATED	0.23990	0.23940	0.23990		
6	FRONT	0.21270	0.21270	0.21300		
7	CENTER	0.21270	0.21270	0.21300		
8	BACK	0.21270	0.21270	0.21300		
9		0.24890	0.24890	0.24940		
10	D	0.23440	0.23390	0.23440		

All calibrations are given an as found and as left reading to show any adjustments made

All certifications show the procedures followed and gage standards used at the time of calibration to establish traceability

### Calibrate Gages:

Company	I.D.	Description	Last Cal.	Cal. Due Date
GREENSLADE	TW0000067	20 TPI THREAD WIRES	8/26/2008	8/26/2009
GREENSLADE	ULM000102	DMS 680 ULM	3/2/2009	9/2/2009

### Procedures Used In This Event:

Procedure Co.	Procedure	Description	Rev. Level	Rev. Date
GREENSLADE	CP-56	THREADED PLUG GAGE CALIBRATION PROCEDURE	B	8/28/2006

This is to certify that the above externally threaded gage was inspected and calibrated by Greenslade & Co., Inc. using standards whose accuracies are traceable to the National Institute of Standards and Technology, or have been derived from accepted values of natural physical constraints, or have been derived by the ratio type of transfer self calibration techniques. Pitch diameter measurements are based on the use of the three-wire method using wires of "best size". This measurement does not make any compensation for half-angle or lead deviations. Greenslade & Co., Inc. complies with ISO 17025, ISO 10012 and ANSI NCSL Z540-1. Gage acceptance is based on the limits & techniques outlined in ASME B1.2 with consideration to the expanded measurement uncertainty (K=2) at 95% confidence level. NIST # is available upon request. The results indicated on this certificate relate only to the items calibrated. Uncertainty values are as follows: Major Diameter, 33µin (.0008 mm); Pitch Diameter, 71µin (.0018 mm); Flank Angle, 16 minutes.

All accredited certifications report uncertainty of measurement based on A2LA guidelines and are traceable to N.I.S.T.

Signature:

Name:

Title: Lab Technician

All certifications are performed by a qualified laboratory technician fully trained in our calibration procedures



Symbols apply to the  
A2LA accredited services only.  
For information on our accredited  
calibration service see our scope on the  
A2LA website at [www.A2LA.org](http://www.A2LA.org)

Greenslade & Company, Inc.  
2234 Wenneca Avenue  
Fort Worth, Texas, 76102 U.S.A.  
Phone                      Fax                      Toll Free  
817-870-8888    817-870-9199    800-435-2657  
Email: [sales@greensladeandcompany.com](mailto:sales@greensladeandcompany.com)  
[www.greensladeandcompany.com](http://www.greensladeandcompany.com)